

Full Text View

[Tabular View](#)

No Study Results Posted

[Related Studies](#)

Allogenic Stem Cell Therapy in Patients With Acute Burn

This study is currently recruiting participants.

Verified on October 2011 by Shenzhen Beike Bio-Technology Co., Ltd.

First Received on September 27, 2011. Last Updated on October 13, 2011 [History of Changes](#)

Sponsor:	Shenzhen Beike Bio-Technology Co., Ltd.
Collaborator:	The Second Affiliated Hospital of Kunmming Medical College
Information provided by (Responsible Party):	Shenzhen Beike Bio-Technology Co., Ltd.
ClinicalTrials.gov Identifier:	NCT01443689

Purpose

Burn trauma, especially extensive ones, remains a life-threatening local and general inflammatory condition destroying the skin and underlying tissues, and resulting in serious sequelae. Remarkable progress has been achieved during last 30 years, stem cell therapy plays an important role in this progress. Human umbilical cord mesenchymal stem cells (hUCMSCs) and human cord blood mononuclear cells (hCBMNCs) have been shown to have the ability to modulate the immune response and enhance angiogenesis, suggesting the novel and promising therapeutic strategy for burn. In this study, the safety and efficacy of hUCMSCs and hCBMNCs transplantation will be evaluated in patients with acute burn.

Condition	Intervention	Phase
Burns	Biological: human umbilical cord mesenchymal stem cells Biological: human cord blood mononuclear cells and human umbilical cord mesenchymal stem cells Drug: Conventional therapy	Phase I Phase II

Study Type: Interventional
Study Design: Allocation: Non-Randomized
Endpoint Classification: Safety/Efficacy Study
Intervention Model: Parallel Assignment
Masking: Open Label
Primary Purpose: Treatment

Official Title: A Phase I/II Study of Human Cord Blood Mononuclear Cells and Human Umbilical Cord Mesenchymal Stem Cells Transplantation in Patients With Acute Burn

Resource links provided by NLM:

[MedlinePlus](#) related topics: [Burns](#)

[U.S. FDA Resources](#)

Further study details as provided by Shenzhen Beike Bio-Technology Co., Ltd.:

Primary Outcome Measures:

- The ratio of wound contraction and re-epithelialisation [Time Frame: 6 months after treatment] [Designated as safety issue: No]
- Complete healing time for investigated burn area [Time Frame: 6 months after treatment] [Designated as safety issue: No]
- Vancouver Scar Scale [Time Frame: 6 months after treatment] [Designated as safety issue: No]

Secondary Outcome Measures:

- Incidence of infections and bleedings in burn wounds [Time Frame: 6 months after treatment] [Designated as safety issue: No]
- Engraftment assessment: Vitality of the graft [Time Frame: 6 months after treatment] [Designated as safety issue: No]
- McGill pain Questionnaire [Time Frame: 6 months after treatment] [Designated as safety issue: No]
- Incidence of Adverse Events and Serious Adverse Events [Time Frame: 6 months after treatment] [Designated as safety issue: Yes]

Estimated Enrollment: 20
Study Start Date: July 2011
Estimated Study Completion Date: July 2013
Estimated Primary Completion Date: July 2012 (Final data collection date for primary outcome measure)

<u>Arms</u>	<u>Assigned Interventions</u>
Group1 :Conventional plus hUCMSCs treatment: Experimental Participants will be given conventional therapy plus human cord mesenchymal stem cells transplantation with a 6 months follow-up. Intervention: Biological: human umbilical cord mesenchymal stem cells	Biological: human umbilical cord mesenchymal stem cells Participants will be given conventional therapy plus hUCMSCs transplantation.
Group 2: Conventional plus hCBMNCs and hUCMSCs therapy: Experimental Participants will be given conventional therapy plus combination of hCBMNCs together with hUCMSCs transplantation with a 6 months follow-up. Intervention: Biological: human cord blood mononuclear cells and human umbilical cord mesenchymal stem cells	Biological: human cord blood mononuclear cells and human umbilical cord mesenchymal stem cells Participants will be given conventional therapy plus and hCBMNCs and hUCMSCs transplantation.
Group 3:Conventional therapy: Active Comparator Participants will be given conventional therapy only with a 6 months follow-up. Intervention: Drug: Conventional therapy	Drug: Conventional therapy Participants will be given conventional therapy only.

Detailed Description:

To investigate the safety and efficacy of human cord blood mononuclear cells and human umbilical cord mesenchymal stem cells transplantation in patients of Acute, Moderate-Severe, Full-thickness burn.

▶ Eligibility

Ages Eligible for Study: 18 Years to 65 Years
Genders Eligible for Study: Both
Accepts Healthy Volunteers: No

Criteria

Inclusion Criteria:

- Between age 18- 65 years, both gender.
- Diagnosed with Acute, Moderate-Severe, full-thickness burn:

Burn occurring within the 72 hours prior to administration. TBSA 20-55%, third degree wounds surface area < 19 % ;

- Willing to sign the Informed Consent Form.

Exclusion Criteria:

- All other burns except thermal origin.
- Chronically malnourished, poor medical condition or shock
- Systemic inflammatory response syndrome (SIRS) or septicopyemia
- Moderate-severe inhalation injury airways to lung
- HIV+
- Autoimmune disease, e.g. lupus erythematosus, multiple sclerosis.

- Severe pulmonary and hematological disease, malignancy or hypo-immunity.
- Currently undertaking other treatment that may affect the safety/efficacy of stem cells.
- Pregnancy or lactation
- Enrollment in other trials in the last 3 months.
- Other criteria the investigator consider improper for inclusion.

▶ **Contacts and Locations**

Please refer to this study by its ClinicalTrials.gov identifier: NCT01443689

Contacts

Contact: Jinfeng Fu 86-871-5351281 ynfjf@hotmail.com

Locations

China, Yunnan

The Second Affiliated Hospital of Kunmming Medical College **Recruiting**
 Kunming, Yunnan, China, 650033
 Contact: Jinfeng Fu 86-871-5351281 ynfjf@hotmail.com
 Principal Investigator: Jinfeng Fu

Sponsors and Collaborators

Shenzhen Beike Bio-Technology Co., Ltd.
 The Second Affiliated Hospital of Kunmming Medical College

▶ **More Information**

No publications provided

Responsible Party: Shenzhen Beike Bio-Technology Co., Ltd.
 ClinicalTrials.gov Identifier: [NCT01443689](#) [History of Changes](#)
 Other Study ID Numbers: BKCR-BURN-1.0(2011)
 Study First Received: September 27, 2011
 Last Updated: October 13, 2011
 Health Authority: China: Ministry of Health

Keywords provided by Shenzhen Beike Bio-Technology Co., Ltd.:
 Extensive Burn
 Human Cord Blood Mononuclear Cells
 Human Umbilical Cord Mesenchymal Stem Cells

Additional relevant MeSH terms:
 Burns
 Wounds and Injuries

ClinicalTrials.gov processed this record on November 29, 2011

[Contact Help Desk](#)
[Lister Hill National Center for Biomedical Communications](#), [U.S. National Library of Medicine](#),
[U.S. National Institutes of Health](#), [U.S. Department of Health & Human Services](#),
[USA.gov](#), [Copyright](#), [Privacy](#), [Accessibility](#), [Freedom of Information Act](#)

